



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

WP

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/695,169	10/24/2000	Douglas W. Dorn	550270.90981	9502

7590

09/30/2002

John T Pienkos
Quarles & Brady LLP
411 East Wisconsin Ave
Suite 2040
Milwaukee, WI 53202-4497

EXAMINER

GONZALEZ, JULIO C

ART UNIT PAPER NUMBER

2834

DATE MAILED: 09/30/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/695,169

Applicant(s)

DORN, DOUGLAS W.

Examiner

Julio C. Gonzalez

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 July 2002.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-14 and 16-22 is/are allowed.
- 6) ☒ Claim(s) 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 October 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____. 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Stacey in view of Feingold.

Stacey discloses a first calculation element 17 that receives three outputs from an alternator, a second calculation element 65, an intermediate signal generator 49, which receives a target input 61 and the first feedback signal and a control signal generator 51 that receives the intermediate signal generator signal and the second feedback signal.

Stacey discloses inherently using software since a ROM is disclosed in the invention.

However, Stacey does not disclose an inner and outer loop.

On the other hand, Feingold discloses for the purpose of reducing errors in a control system, an outer loop means SN and an inner loop means SD (see figure 2).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design an alternator controller as disclosed by Stacey and to modify the invention by including an outer and inner loop for the purpose of reducing errors in a control system as disclosed by Feingold.

Response to Arguments

3. Also, it should be emphasized that "apparatus claims must be structurally distinguishable from the prior art." MPEP 2114. In re Danly, 263 F. 2d 844, 847, 120 USPQ 528, 531 (CCPA 1959) it was held that apparatus claims must be distinguished from prior art in terms of structure rather than function. In Hewlett-Packard Co v Bausch & Lomb Inc., 909 F.2d 1464, 1469, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990), the court held that: "Apparatus claims cover what a device is, not what it does." (emphases in original). To emphasize the point further, the court added: "An invention need not operate differently than the prior art to be patentable, but need only be different" (emphases in original).

That is, in an apparatus claim, if a prior art structure discloses all of the structural elements in the claim, as well as their relative juxtaposition, then it reads on the claim, regardless of whether or not the function for which the prior art structure was intended is the same as that of the claimed invention.

4. Applicant's arguments filed 07/22/02 have been fully considered but they are not persuasive.

Stacey discloses a control system in which signals 9a-9c are outputted from the alternator 41. The signals are then sent to a calculation element 17. Moreover, the calculation element 17 is part of a feedback loop, which involves other calculation elements such as 65 and then the signal is deliver to a voltage reference 49. Also, other loop involving the counter 25 and the inverter 51 with other devices in the invention form feedback loops (see figure 3).

5. In response to applicant's argument that both of the reference (Stacey and Feingold) are nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Stacey shows how a control system may be used for controlling directly an alternator and Feingold shows a control system with an inner and outer loop feedback system. Anyone with ordinary skill in the art would know how to implement a control system with a feedback system inside of an outer feedback system. Respectfully, attention to

pages of the *college book* Modern Control Systems use for **engineering students** is noted. The book shows that is well known in the art of control systems to use and implement an inner and outer feedback control system for different devices. Feingold further teaches that it is known to use an inner and outer feedback loop for a feedback control system.

6. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., measuring the output voltage of an alternator and, based upon these measurements, controlling the excitation of the alternator) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

7. In response to applicant's arguments, the recitation a system for providing a control signal to control an excitation level of an alternator has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim

does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

Allowable Subject Matter

8. Claims 1-14 and 16-22 are allowed.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however,

Application/Control Number: 09/695,169
Art Unit: 2834

Page 7

will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio C. Gonzalez whose telephone number is (703) 305-1563. The examiner can normally be reached on M-F (8AM-5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 305-1341 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Jcg

September 25, 2002


NESTOR RAMIREZ
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800